03560.003374. <u>PATENT</u>

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:	)	
MAKOTO GATO	:	Examiner: Jeffrey S. Smith
MAKOTO SATO	)	Art Unit: 2624
Appln. No.: 10/677,377	,	Art Ullit. 2024
Applii. 10 10/0/7,5/7	:	Confirmation No. 9735
Filed: Oct. 3, 2003	)	
	:	
For: IMAGE PROCESSING APPARATUS,	)	
IMAGE PROCESSING METHOD,	:	
PROGRAM, AND RECORDING	)	
MEDIUM FOR GENERATING A	:	
DIFFERENCE IMAGE FROM A FIRST	)	
RADIOGRAPHIC IMAGE AND	:	
SECOND RADIOGRAPHIC IMAGE	)	
	:	
U.S. Patent No.: 7,403,646 B2	)	
	:	
Issued: July 22, 2008	)	November 13, 2008
Commissioner for Patents		

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

# LETTER CALLING ATTENTION TO ERRORS IN PATENT

Sir:

The following minor errors have been noted in the above-mentioned patent:

# ON COVER PAGE AT (57) ABSTRACT

Line 4, "region" should read --region(s)--; and Line 5, "(s)" should be deleted.

#### COLUMN 1

Line 44, "images" (first occurrence) should read --image--.

#### COLUMN 2

Line 11, "wherein whether" should read --in which--.

#### COLUMN 3

Line 39, "diagram" should read --diagrams--.

#### COLUMN 4

Line 2, "images" (first occurrence) should read --image--;

Line 62, "may" should read --that may--; and

Line 64, "there entire disclosure" should read --the entire disclosure--.

#### COLUMN 12

Line 21, "images," should read --image,--.

#### COLUMN 16

Line 24, "is" should read --is a--.

## **COLUMN 18**

Line 6, "one of" should read -- one of the--.

These errors appear to be relatively insignificant and, therefore, we do not believe it is necessary to request a Certificate of Correction. However, it is requested that this paper be placed in the filewrapper of the above-identified patent.

Patentee's undersigned attorney may be reached in our New York office by telephone at (212) 218-2100. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

/Leonard P Diana/
Leonard P. Diana
Attorney for Patentee
Registration No. 29,296

FITZPATRICK, CELLA, HARPER & SCINTO 30 Rockefeller Plaza New York, New York 10112-3801 Facsimile: (212) 218-2200

FCHS\_WS 2645328v1